

# IRWIN®

## STRAIT-LINE®

### Marking & Layout Tools



[www.irwin.com](http://www.irwin.com)

# Marking & Layout Tools

## Chalk Reels

### IRWIN STRAIT-LINE Chalk Reels

IRWIN® STRAIT-LINE® has manufactured chalk reels designed with the end-user in mind for more than 50 years. The new expanded chalk reel range features larger chalk fill openings designed for ease and speed and delivers best-in-class line strength and reel durability to hold up to jobsite wear and tear.

### Chalk Reel Features

	MACH6™	SPEEDLINEPRO™	SPEEDLINE™	CLASSIC	LAYOUTPRO™	LAYOUTPRO XL™
						
	1932877	1932876	1932874	1932872	1932878	1932879
<b>Chalk Fill</b>	Easy Fill & Lock Top	Easy Fill & Lock Top	Wide Door Chalk Fill	Wide Door Chalk Fill	Sliding Door	Sliding Door
<b>Gear Ratio</b>	6:1	3:1	3:1	1:1	2:1	2:1
<b>Line</b>	Hi-Tensile	Hi-Tensile	Abrasion-Resistant Poly	Abrasion-Resistant Poly	Heavy-Duty Braided Line	Heavy-Duty Braided Line
<b>Case Material</b>	Aluminum	ABS Plastic + Aluminum	ABS Plastic	Aluminum	ABS Plastic	ABS Plastic
<b>Hook</b>	Self-Docking Wide-Pronged	Self-Docking Wide-Pronged	Traditional	Traditional	Self-Docking Bull Ring	Self-Docking Bull Ring
<b>Open Access Back Panel</b>	X					

### IRWIN STRAIT-LINE MACH6 Chalk Reel

The IRWIN STRAIT-LINE MACH6™ Chalk Reel features an Easy Fill & Lock Top that provides a wide opening for increased speed and visibility when filling the reel or accessing internals. The top locks securely with a ¼ turn to prevent unwanted spills. The 100' hi-tensile line is 2.5X stronger than traditional chalk reels for fewer breaks on rough, abrasive surfaces, and the reel has a 6:1 gear ratio to rewind the line 6X faster than traditional chalk reels.

MARKING & LAYOUT

MACH6 CHALK REEL

## FEATURES

1. Easy Fill & Lock Top features a large, 1/4-turn locking top for quick chalk fill and easy access to reel internals
2. 100' Hi-tensile line is stronger for fewer breaks and for use on rough, abrasive surfaces
3. 6:1 Gear ratio rewinds line 6X faster than traditional chalk reels
4. Open access back panel allows for quick line change and cleaning
5. Metal drive gear resists gear failure under heavy load
6. Robust steel handle and large ergonomic clutch for increased durability, strength, and torque
7. Wide-prong hook for secure anchoring
8. Durable aluminum housing provides impact resistance



1932877

**6X FASTER\***

\*as compared to traditional chalk reels

### IRWIN STRAIT-LINE SPEEDLINE PRO Chalk Reel

The IRWIN® STRAIT-LINE® Speedline™ PRO Chalk Reel features an Easy Fill & Lock Top that provides a wide opening for increased speed and visibility when filling the reel or accessing internals. The top locks securely with a ¼ turn to prevent unwanted spills. The 100' hi-tensile line is 2.5X stronger than traditional chalk reels for fewer breaks on rough, abrasive surfaces. The reel has a 3:1 gear ratio to rewind the line 3X faster than traditional chalk reels.

SPEEDLINE PRO CHALK REEL

## FEATURES



EASY FILL & LOCK TOP

2.5X

STRONGER LINE\*

1932876



Easy Fill & Lock Top

1. Easy Fill & Lock Top features a large, 1/4-turn locking top for quick chalk fill and easy access to reel internals
2. 100' Hi-tensile line is stronger for fewer breaks and for use on rough, abrasive surfaces
3. 3:1 Gear ratio rewinds line 3X faster than traditional chalk reels
4. Robust steel handle and large ergonomic clutch for increased durability, strength, and torque
5. Wide-prong hook for secure anchoring
6. Lightweight ABS housing withstands jobsite wear and tear



MARKING & LAYOUT

Line Length	Description	Carded Item #	Pack Qty
<b>MACH6™ &amp; Speedline PRO</b>			
<b>Reels</b>			
100'	100' Speedline Pro Chalk Reel	1932876	6
100'	100' Mach6 Chalk Reel	1932877	6
<b>Combos</b>			
100'	Speedline Pro Chalk Reel + Blue Chalk	1932887	8
100'	Speedline Pro Chalk Reel + Red Chalk	1932888	8
100'	Mach6 Chalk Reel + Blue Chalk	1932889	8
100'	Mach6 Chalk Reel + Red Chalk	1932890	8



# Marking & Layout Tools

## Chalk Reels

### IRWIN STRAIT-LINE SPEEDLINE Chalk Reel

The IRWIN® STRAIT-LINE® Speedline™ Chalk Reel features a features a fill door that is more than 70% larger than the previous design for quick and easy chalk fill. The 100' abrasion resistant poly line provides up to 6 strikes per pull. The reel has a 3:1 gear ratio to rewind the line 3X faster than traditional chalk reels.

#### SPEEDLINE CHALK REEL

### FEATURES

1. Wide door for quick and easy chalk fill
2. 100' Abrasion-resistant poly line provides 5-6 strikes per pull
3. 3:1 Gear ratio rewinds line 3X faster than traditional chalk reels
4. Robust steel handle and large ergonomic clutch for increased durability, strength, and torque
5. Lightweight ABS housing withstands jobsite wear and tear



MARKING & LAYOUT

### IRWIN STRAIT-LINE CLASSIC Chalk Reel



1932872

- Wide door for quick and easy chalk fill
- 100' Abrasion-resistant poly line provides 5-6 strikes per pull
- 1:1 Gear ratio rewinds line
- Robust steel handle and large center hub
- Durable aluminum housing

Line Length	Description	Carded Item #	Bulk Item #	Pack Qty
<b>SPEEDLINE &amp; CLASSIC</b>				
<b>Reels</b>				
50'	50' Classic Chalk Reel	1932871	-	6
100'	100' Classic Chalk Reel	1932872	1932873	6/24
100'	100' Speedline Chalk Reel	1932874	1932875	6/24
<b>Combos</b>				
100'	Classic Chalk Reel + Blue Chalk	1932880		3
100'	Classic Chalk Reel + Red Chalk	1932881		3
100'	Classic Chalk Reel + Orange Chalk	1932882		3
100'	Speedline Chalk Reel + Blue Chalk	1932883		3
100'	Speedline Chalk Reel + Red Chalk	1932885		3

## LAYOUTPRO and LAYOUTPRO XL


### Large Capacity Chalk Reels

The IRWIN® STRAIT-LINE® LayoutPro™ and LayoutPro™ XL Chalk Reels feature large chalk capacity for fewer refills on large jobs. The heavy-duty braided lines resist fraying and breaking over long distances. The reels have a 2:1 gear ratio to rewind the line 2X faster than traditional chalk reels.

### LAYOUT PRO CHALK REEL

## FEATURES

1. 10 oz. Chalk capacity for fewer refills on large jobs
2. 100' Heavy-duty braided line resists fraying and breaking over long distances
3. 2:1 Gear ratio rewinds line 2X faster than traditional chalk reels
4. Soft-touch ergonomic grip provides comfort and control while snapping lines
5. Large sliding door for easy chalk fill
6. Steel docking ring for secure anchoring
7. Robust steel handle and large center hub for increased durability, strength and torque



### LAYOUTPRO

### LAYOUTPRO XL



1932878

- 10 oz. Chalk Capacity
- 100' Heavy-duty braided line



1932879

- 20 oz. Chalk Capacity
- 150' Heavy-duty braided line



Large Sliding Door

MARKING & LAYOUT



Line Length	Description	Carded Item #	Pack Qty
-------------	-------------	---------------	----------

#### Large Capacity Reels

100'	100' Layout Pro Chalk Reel	1932878	2
150'	150' Layout Pro XL Chalk Reel	1932879	2

Line Length	Description	Carded Item #	Pack Qty
-------------	-------------	---------------	----------

#### Replacement Lines for IRWIN STRAIT-LINE Chalk Reels

50'	50' Polyester Replacement Line	1932892	6
100'	100' Polyester Replacement Line	1932893	6
100'	100' Hi-Tensile Replacement Line	1932894	6
100'	100' .5mm Precision Replacement Line	1932895	6
100'	100' Layout Pro Replacement Line	1932896	1
150'	150' Layout Pro XL Replacement Line	1932897	1

# Marking & Layout Tools

## Marking Chalk

### STRAIT-LINE Marking Chalk

#### Keep the Chalk Where You Want It

IRWIN® STRAIT-LINE® marking chalks have an innovative flip-top cap that keeps the chalk in the bottle where you want it. The flip-top cap seals the chalk in an airtight chamber, keeping out moisture and reducing the risk of clumping.



Hi-flow Nozzle Cap on Permanent Staining Chalk

#### Get the Chalk When You Want It

IRWIN® STRAIT-LINE® introduces its new Hi-flow Nozzle Cap for improved chalk flow on permanent staining chalks. The cap allows for quicker chalk fills and less clumping when using higher-density permanent staining chalks.



MARKING & LAYOUT

Description	Item #	Shelf Pack
<b>Dust-Off Marking Chalk</b>		
6 oz. - Light Violet - Dust-Off	4935426	6
<b>Standard Marking Chalk</b>		
4 oz. - Blue Chalk - Standard	64801ZR	6
8 oz. - White Chalk - Standard	64904	6
8 oz. - Blue Chalk - Standard	64901	6
2.5 lb. - Blue Chalk - Standard	65201	6
5 lb. - White Chalk - Standard	65104	4
5 lb. - Blue Chalk - Standard	65101ZR	4
<b>Hi-Visibility Marking Chalk</b>		
8 oz. - Yellow Chalk - Hi-Vis	64903	6
8 oz. - Orange Chalk - Hi-Vis	64905ZR	6
8 oz. - Green Chalk - Hi-Vis	64907	6
2.5 lb. - Orange Chalk - Hi-Vis	65205	6
5 lb. - Yellow Chalk - Hi-Vis	65103	4
5 lb. - Orange Chalk - Hi-Vis	65105	4
5 lb. - Green Chalk - Hi-Vis	65106	4
<b>Permanent Marking Chalk</b>		
4 oz. - Red Chalk - Permanent	64802	6
8 oz. - Red Chalk - Permanent	64902	6
8 oz. - Black Chalk - Permanent	64908	6
2.5 lb. - Red Chalk - Permanent	65202	6
2.5 lb. - Black Chalk - Permanent	65207	6
5 lb. - Red Chalk - Permanent	65102	4
5 lb. - Black Chalk - Permanent	2032160	4
<b>Permanent Staining Marking Chalk</b>		
6 oz. - Indigo Blue - Permanent Staining	4935518	6
6 oz. - Crimson Red - Permanent Staining	4935519	6
6 oz. - Midnight Black - Permanent Staining	4935520	6
2 lb. - Crimson Red - Permanent Staining	4935522	6
4 lb. - Indigo Blue - Permanent Staining	4935524	4
4 lb. - Crimson Red - Permanent Staining	4935525	4
4 lb. - Midnight Black - Permanent Staining	4935526	4



### The Right Chalk for Every Job

The IRWIN® STRAIT-LINE® chalk range has a wide range of permanencies and colors so whether working indoors or out, on finished surfaces or in extreme conditions, IRWIN STRAIT-LINE has the ideal chalk for every job.

Dust-off chalk is temporary chalk that can be used to mark interior walls and trim and then be wiped away cleanly. Permanent staining chalk is great for extreme outdoor conditions because it can withstand harsh weather conditions and months of jobsite wear.

### Marking Chalk Color Permanence & Application Guide

Low		PERMANENCY SCALE			High	
<b>DUST-OFF</b>  <b>0</b> 1 2 3 4 Permanency <b>INDOOR</b> • Eliminates the need for priming before painting • Ideal for composite decking <b>COLORS</b>  Interior Finish Work	<b>STANDARD</b>  <b>1</b> 2 3 4 Permanency <b>INDOOR/OUTDOOR</b> • Temporary marking chalk <b>COLORS</b>  Standard	<b>HI-VISIBILITY</b>  <b>2</b> 3 4 Permanency <b>INDOOR/OUTDOOR</b> • Low light conditions • Corrective marking <b>COLORS</b>  Hi-visibility	<b>PERMANENT</b>  <b>3</b> 4 Permanency <b>OUTDOOR</b> • Weather-resistant lines remain visible after weeks of weather and jobsite wear and tear <b>COLORS</b>  Permanent	<b>PERMANENT STAINING</b>  <b>4</b> Permanency <b>OUTDOOR</b> • Withstands months of weather and jobsite wear and tear • Reduces need for additional sealant <b>COLORS</b>  Extreme Conditions		

### STRAIT-LINE Lumber Crayons



66401

- For use on oily, slick, wet, cold or dry surfaces
- Ideal for lumber, concrete, ceramics, rubber, metal, paper and cardboard
- Non-toxic and waterproof

### SHARPIE® China Markers



2089

- Ideal for writing on china, glass, metal or plastic
- Marks on porous and non-porous surfaces
- Fade and moisture-resistant
- Write length of 2500 ft.

### STRAIT-LINE Carpenter Pencils & Sharpener



66300



233250

Description	Color	Qty.	Carded Item #	Bulk Item #
<b>Lumber Crayons</b>				
4-1/2" Wax Based Lumber Crayon	Red	12-pc.	—	66401
	Blue	12-pc.	—	66402
	Green	12-pc.	—	66403
	Black	12-pc.	—	66404
	White	12-pc.	—	66405
	Yellow	12-pc.	—	66406
4-1/2" Wax Based Lumber Crayon	Red	2-pc.	666012	—
	Black	2-pc.	666042	—
	Yellow	2-pc.	666062	—
Lumber Crayon Holder	—	—	66510	—
<b>China Marker</b>				
	Red	12-pc.	—	2059
	Black	12-pc.	—	2089
	White	12-pc.	—	2060
<b>Carpenter Pencils &amp; Sharpener</b>				
Soft Lead Carpenter Pencil	—	12-pc.	—	66301
Medium Lead Carpenter Pencil	—	72-pc.	—	66305SL
Medium Lead Carpenter Pencil	—	12-pc.	—	66300
Medium Lead Carpenter Pencil	—	6-pc.	66400	—
Hard Lead Carpenter Pencil	—	12-pc.	—	66302
Carpenter Pencil Sharpener	—	25-pc.	—	233250
<b>Chalk Markers and Soapstone</b>				
Soapstone 5" x 1/2" x 3/16"	White	144	—	2033500
Railroad Chalk	White	144	—	2032150

# Marking & Layout Tools

## Plumb Bobs / Tapes / Flags / Twine

### Hexagon Plumb Bobs



13085

- Accurately machined steel, corrosion-resistant nickel plating

### STRAIT-LINE® Flagging Tapes




65901



66200

- Flagging tape is weatherproof PVC for harsh outdoor conditions
- Barrier tape is co-extruded polyethylene for durability and weather-resistance
- Ideal for construction, landscaping, excavating, identification of trees or hazards and locating underground cables or pipe

### STRAIT-LINE Stake Flags



- Bright, fade-resistant color for maximum visibility
- Ideal for above-ground marking, even at -40°

### STRAIT-LINE #18 Braided Twine



Description	Weight	Qty.	Carded Item #
Hex Plumb Bob	5 oz.	5	13055
Hex Plumb Bob	8 oz.	5	13085
Plumb Bob	12 oz.	5	13125

Length	Description	Qty.	Bulk Item #
<b>Flagging Tape</b>			
150'	Glo Red	24	65601
	Glo Orange	24	65602
	Glo Pink	24	65603
	Glo Lime	24	65604
	Glo Yellow	24	65605
300'	Red	24	65901
	Orange	24	65902
	Blue	24	65903
	White	24	65904
	Yellow	24	65905

#### Barrier Tape

300' x 3"	CAUTION	8	66200
300' x 3"	DANGER - DO NOT ENTER	8	66202
300' x 3"	WET PAINT	8	66222
1000' x 3"	CAUTION - CONSTRUCTION AREA	8	66211
1000' x 3"	CAUTION	8	66231

#### Danger Flags Roll

12" x 12"	Red Danger Flags	1	2034208
-----------	------------------	---	---------

#### Floor Tape

2" x 54'	Yellow/Black Floor Tape	12	2034300
----------	-------------------------	----	---------

Length	Color	Qty.	Bulk Item #
2.5" X 3.5" X 21"	Glo Orange	10x100 pc.	64100
	Glo Pink	10x100 pc.	64101
	Glo Lime	10x100 pc.	64102
	White	10x100 pc.	2034204
	Yellow	10x100 pc.	2034205
	Blue	10x100 pc.	2034206
	Glo Red	10x100 pc.	2034207

Length	Description	Qty.	Bulk Item #
100'	Orange #18 Braided Twine	12	2034410
	Fluorescent Green #18 Braided Twine	12	2034411
270'	Orange # 18 Braided Twine	12	2034403
	Fluorescent Green #18 Braided Twine	12	2034408
500'	Orange # 18 Braided Twine	12	2034404
	Fluorescent Green #18 Braided Twine	12	2034409

©2015

**IRWIN**  
TOOLS®

8935 NorthPointe Executive Dr.  
Huntersville, NC 28078 - U.S.A.  
1-800-GO-IRWIN  
www.irwin.com

A *NewellRubbermaid* Brand