

JBC-1, 1-TON BEAM CLAMP

252710

JET JBC Series features a more robust construction for increased durability and longer life in demanding industrial environments. The JBC Series Beam Clamps come in capacities from 1 ton to 5 tons and can accommodate a beam up to 10 inches wide. Each JET beam clamp jaw is designed to distribute the load away from the beam flange and adjusts easily for a wide range of standard H or I beams.



FEATURES

- Durability
- Robust construction for increased durability and longer life in demanding industrial environments
- Welded, enclosed pockets provide greater stability and durability where the beam clamp attaches to the beam/structure
- Larger, thicker diameter pins for increased durability and life
- Welded all-steel frame and powder coat finish provide maximum durability and protection
- Clamp jaw is designed to distribute the load away from the beam flange edge increasing safety
- Used for quick mounting of a hoist or for lifting a broad range of beams up to 10-5/8 inches wide for increased versatility
- Standards
- Complies with ANSI / ASME B30.17 and B30.20 standards
- Certification- Load tested to 125% of capacity with certificate



JET RED ASSURANCE 2-YEAR WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE

JBC-1, 1-TON BEAM CLAMP

252710

SPECIFICATIONS

Load Capacity (Tons)	1
Maximum Beam Flange Width (In.)	8-2/3
Minimum Beam Flange Width (In.)	3



STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE

JBC-1, 1-TON BEAM CLAMP

252710

FULL SERIES

STOCK NO	MODEL NO	LOAD CAPACITY (TONS)	MAXIMUM BEAM FLANGE WIDTH (IN.)	MINIMUM BEAM FLANGE WIDTH (IN.)
252710	JBC-1	1	8-2/3	3
252720	JBC-2	2	8-2/3	3
252730	JBC-3	3	9-5/6	4
252750	JBC-5	5	10-5/8	5

STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE